


This drawing is provisional and subject to our reconfirmation and/or revision without notice.

Coordinates

記号	X	Y	R
GM	0	0	—
DH1	-10813	-2722	—
DH2	10022	-4886	—
a1	8364	8889	1200
a2	-8455	8802	1200
a3	-8078	-10529	2000
a4	-7303	-11081	2000
a5	8494	-10197	2000
a6	9203	-9562	2000



Section PB1,2



Section a1~a6

△5	Quantity	1 / 1000 mm	Cal No.: FS20
△4	Unit	8 / 1	Parts No.:
△3	Scale	Date	Name
△2	Drawn	M. Fukuda	Name:
△1	Date	Approved	Frame for Cas
Mark Description		Checked	Drawing No.: FS20C000
Alterations		Approved	
Material		General Tolerances	
Heat Treatment		Dimensions	
Hardness		Angles	
Plating			

DH1~DH2=20947 (±30)

Coordinates



記号	X	Y	R
GM	0	0	
DH1	-10813	-2722	
DH2	10022	-4886	
a1	8364	8889	1200
a2	-8455	8802	1200
a3	-8078	-10529	2000
a4	-7303	-11081	2000
a5	8494	-10197	2000
a6	9203	-9562	2000



Section PB1.2

△	Quantity	1 / 1000 mm	Cal No. FS21
△	Unit	8 / 1	Parts No.:
△	Scale	Date	Name
△	Drawn	M. Fukuda	
△	Checked	Name:	
△	Approved	Frame for Case	
△	Alterations	Drawing No.: FS21C0AS	
△	Date		
△	Description		
△	Material		
△	Heat Treatment		
△	Hardness		
△	Plating		
△	General Tolerances		
△	Dimensions		
△	Angles		

This drawing is provisional and subject to our reconfirmation and/or revision without notice.



*** T I P W (01) *** (2100 1121) 03-02-14 30.0

7		Quantity		Cal. No. :	FS20-00A
6		Unit	1/1000 mm	Parts:	
5		Scale	6:1	Name:	Indications for Dial
4		Date		Drawing No. :	
3		Drawn		Material	
2		Checked	M. Fukuda	Heat Treatment	
1		Approved		Hardness	
				Plating	
				General Tolerances	
				Dimensions	
				Angles	